



STAY ON COURSE

Expand your diagnostic and interventional procedures with the Prelude Roadster, a long guide sheath designed to access difficult anatomy in the peripheral vasculature. Offering superior deliverability, increased kink and compression resistance, and highly visible under imaging guidance—no matter your destination, you can stay on course with the Prelude Roadster.

DESIGNED FOR EASE OF ENTRY AND ENHANCED TRACKABILITY




Distal 35-cm length hydrophilic coating eases entry into the vessel.



A nylon outer layer with stainless steel coil and PTFE liner prevents kinking.



Withstands more compression at the same force versus the leading competitor.






SHAPES AND SIZES TO MEET A WIDE RANGE OF ANATOMICAL NEEDS

Every patient is different. We offer multiple sizes and tip shapes designed to improve patient outcomes and your procedural experience.


DIAMETER SIZES

A wide selection of lumen sizes designed for diagnostic and therapeutic device delivery.



TIP SHAPES

Four tip shapes to help you address procedural challenges.





HOW TO READ THE MERIT PRELUDE ROADSTER PART NUMBER

PG6F90MPX:

PG Prelude Guide

Sheath

French Size

Length (cm)

Tip Shape

Extra Body

ORDERING INFORMATION

CATALOG	CIZE	LENGTH	RECOMMENDED	TID CLIADE	SHEATH
NUMBER	SIZE	LENGTH	GUIDE WIRE	TIP SHAPE	BODY TYPE
PG4F45S	4F	45 cm	0.035" (0.89 mm)	Straight	Regular
PG4F90S	4F	90 cm	0.035" (0.89 mm)	Straight	Regular
PG5F45S	5F	45 cm	0.038" (0.97 mm)	Straight	Regular
PG5F45MP	5F	45 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG5F45R	5F	45 cm	0.038" (0.97 mm)	Renal Double Curve	Regular
PG5F90S	5F	90 cm	0.038" (0.97 mm)	Straight	Regular
PG5F90MP	5F	90 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG6F45S	6F	45 cm	0.038" (0.97 mm)	Straight	Regular
PG6F45HS	6F	45 cm	0.038" (0.97 mm)	Hockey Stick	Regular
PG6F45MP	6F	45 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG6F45R	6F	45 cm	0.038" (0.97 mm)	Renal Double Curve	Regular
PG6F65S	6F	65 cm	0.038" (0.97 mm)	Straight	Regular
PG6F65MP	6F	65 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG6F65SX	6F	65 cm	0.038" (0.97 mm)	Straight	Extra Body
PG6F90MP	6F	90 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG6F90SX	6F	90 cm	0.038" (0.97 mm)	Straight	Extra Body
PG6F90MPX	6F	90 cm	0.038" (0.97 mm)	Multipurpose	Extra Body
PG7F45S	7F	45 cm	0.038" (0.97 mm)	Straight	Regular
PG7F45MP	7F	45 cm	0.038" (0.97 mm)	Multipurpose	Regular
PG7F45SX	7F	45 cm	0.035" (0.89 mm)	Straight	Extra Body
PG7F45MPX	7F	45 cm	0.038" (0.97 mm)	Multipurpose	Extra Body
PG7F45RX	7F	45 cm	0.038" (0.97 mm)	Renal Double Curve	Extra Body
PG7F65SX	7F	65 cm	0.038" (0.97 mm)	Straight	Extra Body
PG7F90SX	7F	90 cm	0.038" (0.97 mm)	Straight	Extra Body
PG8F45S	8F	45 cm	0.038" (0.97 mm)	Straight	Regular
PG8F45SX	8F	45 cm	0.038" (0.97 mm)	Straight	Extra Body
PG8F45MPX	8F	45 cm	0.038" (0.97 mm)	Multipurpose	Extra Body
PG8F65SX	8F	65 cm	0.038" (0.97 mm)	Straight	Extra Body
PG8F90SX	8F	90 cm	0.038" (0.97 mm)	Straight	Extra Body

COMBINE MERIT PRODUCTS. **CREATE PROCEDURAL** SOLUTIONS.

Choose from a selection of Merit products you can use with the Prelude Roadster. Each works to provide you with the complete procedural solutions you need.

ANGIOGRAPHY

SplashWire™ Hydrophilic Steerable Guide Wire







Merit SureCross™ Support Catheters



INFLATION

BasixTOUCH™ Inflation Device

Packaged 1 unit per box. | All Prelude Roadster Guide Sheaths are latex free.

Before using refer to Instructions for Use for indications, contraindications, warnings, precautions, and directions for use.



Understand. Innovate. Deliver.™

merit.com

Merit Medical Systems, Inc. 1600 West Merit Parkway South Jordan, Utah 84095 Main: +1.801.253.1600

CardioParts Customer Service: +1.801.208.4300



